

単位：ppb)

表-6 昭和52年度窒素酸化物濃度

(単位：ppb)

日平均 値2% 除外値	備考
10	○
15	○
16	○
9	○
26	
24	
30	
24	
15	
20	
7	○
10	○
17	
19	
22	
19	
8	○
8	○
8	○
10	○
29	
15	
18	
28	
21	
15	
19	
13	
-	

測定局	暖房			非暖房			全年			日平均値の 98%値
	昼	夜	全日	昼	夜	全日	昼	夜	全日	
利府	19.3	21.5	20.4	11.9	16.3	14.1	15.2	18.6	16.9	47
塩釜	35.8	31.7	33.7	21.7	22.7	22.2	27.2	26.2	26.9	72
七ヶ浜-1	12.9	11.4	12.2	8.9	9.0	9.0	10.5	10.0	10.2	29
多賀城-1	21.0	23.5	22.2	15.8	17.3	16.5	17.7	19.5	18.6	49
岩沼	26.9	26.1	26.5	19.6	20.9	20.2	22.5	22.9	22.7	62
国設仙台	36.2	33.9	35.1	27.0	27.8	27.4	30.8	30.3	30.5	66
多賀城-2	23.3	20.9	22.1	20.7	18.1	19.4	21.7	19.2	20.5	48
柴田	39.2	43.0	41.0	19.9	24.7	22.3	27.6	31.6	29.6	74
白石	26.8	27.7	27.3	19.4	21.8	20.6	22.4	24.2	23.3	66
矢本-1	19.7	22.4	21.0	11.3	12.5	11.9	14.3	16.1	15.2	55
石巻-1	34.7	37.1	30.9	21.1	17.9	19.5	27.1	22.0	24.5	58
古川	35.5	30.3	32.9	17.4	18.3	17.8	25.0	23.4	24.2	62
松島	19.9	26.8	23.2	10.4	18.2	14.2	14.7	22.0	18.3	51
国設笠岳	4.0	3.3	3.7	3.0	3.3	3.1	3.4	3.3	3.3	9
気仙沼	17.2	14.2	15.7	13.7	12.1	12.9	15.4	13.1	14.3	30
高砂	39.6	47.2	43.0	0	0	0	33.8	40.6	37.3	
岩切	35.3	36.7	36.0	31.7	28.6	30.1	33.2	32.0	32.6	96
鶴ヶ谷	30.0	37.7	33.8	18.7	25.2	21.8	24.2	31.5	27.7	55
衛試	1.6	26.3	10.9	0	0	0	0.1	1.3	0.7	
東長町	45.2	47.9	46.5	24.9	28.2	26.5	33.9	36.8	35.4	106
中山	24.2	19.5	22.1	17.8	17.0	17.4	21.2	18.3	19.9	52
中野	25.9	32.0	28.8	14.0	19.4	16.7	21.2	26.7	23.9	66
七郷	46.4	55.2	50.9	28.2	37.4	32.9	37.9	46.9	42.5	134
山田	42.0	0	42.0	0	0	0	0.7	0	0.4	